| ~ | Day | CCWS™ Daily Treatment Instructions |
|------------|----------|--|
| | 1 | |
| | 2 | |
| | 3 4 | |
| | 5 | |
| | 6 | 1 teaspoon bicarbonate of soda in small glass of water morning and night. |
| | 7 | |
| | 8 | |
| | 9 | |
| | 10 | To the trical land and a conferment |
| | 11 | |
| | 12 | CCWS™ Candida Cell Wall Suppressor |
| | 13 | 1 tablet in middle of meal with fat content 4 times a day + 2 hours after each |
| | 14 15 | meal take die off assist capsules with water on empty stomach. |
| <u>-</u> - | 15 16 | |
| | 17 | |
| | 18 | |
| | 19 | 10 Day Break |
| | 20 | Good time to take a probiotic (such as EM Pro) to help build gut flora defence |
| | 21 | from any reinfection |
| | 22 | |
| | 23 | |
| | 24 | |
| | 25 | |
| | 26 | CCINICIM Condido Coll Moll Compressor |
| | 27 | CCWS™ Candida Cell Wall Suppressor |
| | 28 29 | 1 tablet in middle of meal with fat content 4 times a day + 2 hours after each |
| | 30 | meal take die off assist capsules with water on empty stomach. |
| | 31 | |
| | 32 | |
| | 33 | |
| | 34 | 10 Day Break |
| | 35 | Good time to take a probiotic (such as EM Pro) to help build gut flora defence |
| | 36 | from any reinfection |
| | 37 | |
| | 38 | |
| | 39 40 | |
| | 40 41 | |
| | 42 | CCWS™ Candida Cell Wall Suppressor |
| | 43 | 1 tablet in middle of meal with fat content 4 times a day + 2 hours after each |
| | 44 | meal take die off assist capsules with water on empty stomach. |
| | 45 | meditane are an accise dapoured than tracer on empty desinatin |

IMPORTANT – You must drink large amounts of water during the CCWS™ candida treatment (after day 10) as the toxins will be released by the dying candida and need to be flushed from your body as fast as possible – we recommend 8 glasses of water a day.