



The Candida Cell Wall Suppressor Treatment Protocol



Clare Davidson

Candida Cell Wall Suppressor



Instructions For Treatment

First course will be taken over a 5 day period – 1 tablet 4 times a day with food containing some fat content. Then wait 10 days.

Second course will be taken over the next 5 days – 1 tablet 4 times a day. Then wait 10 more days.

Third course will be taken over the next 5 days – 1 tablet 4 times a day.

This Is A Total 35 Day Treatment

All you need to do is **take 1 tablet with every meal four times a day** on the scheduled days. Take the tablet when you are half way through your meal.

Make sure you do not have an upset stomach in any way e.g. Diarrhea, so candida cell

wall suppressor has been absorbed in your system.

We recommend the following foods:

Advocado, full fat cheese, full fat yogurt or full fat milk. Animal fats works fine aswell.

A dish cooked with lots of oils is a very good way of making sure Candida Cell Wall Suppressor is taken into the fat tissue.

Your body needs a treatment that covers you for several weeks to allow your immune system to fluctuate. This is why we **STRONGLY** recommend the 5 days on 10 days off x 3 protocol which totals approximately 45 grams spread over 45 days.

By taking the single dose option you are highly unlikely to rid yourself of all the fungus in your body.

Got Questions?

Simply visit our contact us page at www.candidacellwallsuppressor.com and a representative from our team will answer all your questions with the best of their abilities within 48 hours. Remember, we are not a doctor or physicians and cannot give you any medical advice. Please consult your doctor or physicians.

What Is Die-Off Reaction?

Individuals with Candida Related Complex (CRC) have an overgrowth of yeast in their bodies. Once Candida yeast populations in the intestines and/or systemic yeast levels have grown to the point that they cause symptoms, it is crucial to a full recovery that the yeast population is reduced to normal or even, for susceptible individuals, to below normal levels through the use of an anti-candida

diet and supplementary anti-fungal agents. However, there is a 'catch' involved with the essential strategy. Living yeast cause symptoms by releasing toxic metabolic by-products into your body. Unfortunately as you kill them they will temporarily release ever larger amounts of these toxins. Generally speaking, most folks experience die off as an exaggeration of their existing Candida related symptoms or

a worsening of chronic health conditions. Feeling some of your symptoms worsen might be a bit alarming, but is encouraging in the sense that it confirms both the presence of Candida and its susceptibility to the anti-fungal you are using. Die-off is experienced differently by each person. Most folks experience die – off at some point in their recovery.

Candida Cell Wall Suppressor 35 Day Dosage Calendar

Take 4 tablets each day, about 4 hours apart

DAY 1 Take 4 candida cell wall suppressor capsules (orange days)	DAY 2	DAY 3	DAY 4	DAY 5	DAY 6	DAY 7
DAY 8	DAY 9	DAY 10	DAY 11	DAY 12	DAY 13	DAY 14
DAY 15	DAY 16	DAY 17	DAY 18	DAY 19	DAY 20	DAY 21
DAY 22	DAY 23	DAY 24	DAY 25	DAY 26	DAY 27	DAY 28
DAY 29	DAY 30	DAY 31	DAY 32	DAY 33	DAY 34	DAY 35 Last Day

www.facebook.com/CandidaCellWallSuppressor



Frequently Asked Questions

What Is Chitin Synthesis Inhibitor Made Off?

Chinin synthesis inhibitor is a laboratory created inert compound that acts solely on chitin based organisms such as Candida fungus. It is not broken down by the human body into any other chemical form and it does not cause any reaction in human bodily systems. It is made with natural oils and basic chemical elements to create a completely nontoxic fungicide that is pharmaceutical graded.

How Do I Know If I Have Candida?

Everyone has Candida yeast in their gut; it is natural and should be there. The problem arises when the Candida yeast in the gut manages to invade the bloodstream and develop into another form which is Candida fungus. Due to Candida being ever present in our bodies in the yeast form it makes it more difficult to test as

the test must be able to differentiate between fungus and yeast. This results in only blood testing as a reasonably reliable testing method. With our treatment you can effectively cleanse your body of Candida fungus. As the treatment is safe and no side effects we often say it is better to treat as if you have it, than to ignore because you cannot do a reliable test.

How Does Chitin Synthesis Inhibitor Kill Candida?

Chitin synthesis inhibitor does not kill the fungus, what it does make the fungus vulnerable to attack by your immune system. It is after the treatment that your own white blood cells will finally be able to lay siege to the fungal colony. The treatment removes the fungus ability to generate the chitin layer which makes the fungus so difficult to attack.

www.candidacellwallsuppressor.com

Candida Cell Wall Suppressor

Frequently Asked Questions

When will it work and

i will start to feel the benefits?

Some people start the program and feel better almost immediately or within a few days, noticing positive effects such as increased energy, better mental focus, better elimination, etc. for these folks, the die-off experience is still likely to occur, but probably a few weeks down the road.

How Often Do I Need To Take

A Course Of Chitin Synthesis Inhibitor?

We recommend to our personal clients that if you follow an average western diet which does contain a lot of hidden sugars and antibiotics in dairy and meat, then it can be a wise choice to take this course every year as a flush to your system and to catch any fungal growth colonies in there early stages.

Do I Need A Doctors Prescription?

No.

Do I Need Antifungals Also?

You do not have to take antifungals with the treatment. Many people however do suffer with a strong die off reaction which can involve yeast infections flaring up. If this happens then a standard azole treatment will help relieve the situation.

Is It Suitable For Children?

As a child's immune system is still developing we would not recommend this treatment for anyone under 18 years of age.

Is It Suitable If I Am Pregnant?

We would not recommend this treatment for pregnant women or women who are breast feeding.

What Are The Side Effects?

The treatment has no side effects – however a die off reaction can occur which is often confused with being a side effect. The compound is inert and so to have a side effect it would have to be causing some kind of reaction in your body which it cannot.

What Diet Should I Follow?

You should follow a healthy diet, one that does not restrict you. The goal is to have your immune system strong, and the best way to have a strong immune system is to fuel it well! If you want to cleanse also it is best to do the cleanse before the treatment.

Do I Need To Take It With

Fat Rich Content Food?

By taking the treatment with fat rich food you ensure the uptake of the compound into the fat cells. This means that during the ten days rest from the course of tablets your fat cells will slowly release the treatment into your bloodstream. This means that there is a constant maintained level in your body.

Can My Candida Be Resistant

To Chitin Synthesis Inhibitor?

Should resistance ever develop it would mean that the fungus is not using chitin anymore in its cell walls, and would therefore be more vulnerable to the immune system anyway. So far there is no record of a strain of Candida that does not use chitin based defenses.

Will I Need To Take A Second Course?

Highly unlikely. As long as you have taken the course correctly you will be Candida free.